

Only for the use of medical professionals

Mylovit®

DESCRIPTION

Mylovit® is the combined preparation of Iron, Folic Acid, Vitamin B complex and Vitamin C.

INDICATIONS

Mylovit® is indicated for the prophylaxis and treatment of iron, folic acid and zinc deficiencies especially during pregnancy and lactation and woman with heavy menstrual bleeding.

DOSAGE AND ADMINISTRATION

One capsule daily

In sever cases two capsule daily or as directed by the physician.

SIDE EFFECTS

Generally well tolerated. However a few allergic sensitization has been reported to any of the ingredients. Oral iron preparation may cause constipation or dark stool.

CONTRAINDICATIONS

Patients with a known hypersensitivity to any of the ingredients. Iron therapy is contraindicated in the presence of haemolytic anaemia.

PRECAUTIONS

Special care should be taken in patients who may develop iron overload, such as those with haemochromatosis, haemolytic anaemia or red cell aplasia.

OVERDOSE

Higher doses of Iron should be avoided if liver disease is reported; excess can cause bloody diarrhea, vomiting, acidosis, darkened stools and abdominal pain. Higher doses of nicotinamide may cause vomiting, diarrhea. Sensory neuropathy was observed in individuals consuming more than 200mg pyridoxine for very long periods. Acute ingestion of ascorbic acid, even of massive doses, is unlikely to cause significant effects. Excess intake of zinc (1-2 g/day) for prolonged period can damage immune system.

DRUG INTERACTIONS

Iron chelates with tetracyclines and absorption may be impaired. Folic acid interacts with antiepileptic drugs, no plasma concentrations of phenobarbital, phenytoin possibly reduced. Iron may decrease the absorption of antacids, quinolone antibiotics, levodopa, levothyroxine, methyl dopa and pencillamine.

PHARMACEUTICAL PRECAUTIONS

Store in a cool, dry place. Protect from light. Keep out of reach of children.

PRESENTATION

Mylovit® Capsules: Transparent body and transparent purple cap, body imprinted with 'ACI' logo and cap with 'ACI'. Each capsule contains blended pellets of dried Ferrous Sulfate BP 150mg, Folic Acid BP 0.5mg, Thiamin Mononitrate USP 2mg, Riboflavin BP 2mg, Nicotinamide BP 10mg, Pyridoxine Hydrochloride BP 1mg, Ascorbic Acid BP 50mg.

Package quantities

Mylovit® Capsule: Cartons of 10x10's capsules in Alu-PVC blister pack.

® Registered Trade Mark



ACI Limited
Narayanganj, Bangladesh.